




GLOSSY



# NEW SUGGESTIONS

## OF

# PURITY & NATURE



Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book.

**MAKING 60X120 CM WITH  
NEW PHILOSOPHY.**

**EXCELLENCE**



**RELIABILITY**

WE

**MAKE** TILES


THAT MAKE

A **DIFFERENT**

IN

**SPACE.**





## ANGEL STATUARIO

Size :  
600 X 1200 MM

Finish :  
Glossy Collection





## ANTIQUE STATUARIO

Size :  
600 X 1200 MM

Finish :  
Glossy Collection



# APPLE WHITE

Size :  
600 X 1200 MM

Finish :  
Glossy Collection





# ARABESCATO STATUARIO

Size :  
600 X 1200 MM

Finish :  
Glossy Collection





# AREZZO NATURAL

Size :  
600 X 1200 MM

Finish :  
Glossy Collection





# BETTY SATVARIO

Size :  
600 X 1200 MM

Finish :  
Glossy Collection





# BRITTANY WHITE

Size :  
600 X 1200 MM

Finish :  
Glossy Collection




# CALVIN SATVARIO

Size :  
600 X 1200 MM

Finish :  
Glossy Collection





# CENTRALIA AQUA

Size :  
600 X 1200 MM

Finish :  
Glossy Collection





## CENTRALIA WHITE

Size :  
600 X 1200 MM

Finish :  
Glossy Collection





## CLOUDY STATUARIO

Size :  
600 X 1200 MM

Finish :  
Glossy Collection

Random :  
3






## COLA SATAVARIO

Size :  
600 X 1200 MM

Finish :  
Glossy Collection







## COSTA WHITE

Size :  
600 X 1200 MM

Finish :  
Glossy Collection

Random :  
3





## COUNTER CARRARA

Size :  
600 X 1200 MM

Finish :  
Glossy Collection



# CRAZZY SATVARIO

Size :  
600 X 1200 MM

Finish :  
Glossy Collection





## CROWN STATUARIO

Size :  
600 X 1200 MM

Finish :  
Glossy Collection

Random :  
5





## DELICATO STATUARIO

Size :  
600 X 1200 MM

Finish :  
Glossy Collection

Random :  
3



# ELECTRIC SATVARIO

Size :  
600 X 1200 MM

Finish :  
Glossy Collection





## ENRICH SATAVARIO

Size :  
600 X 1200 MM

Finish :  
Glossy Collection



# FINTAN STATUARIO

Size :  
600 X 1200 MM

Finish :  
Glossy Collection







## GABARIEL WHITE

Size :  
600 X 1200 MM

Finish :  
Glossy Collection






## IMPERIAL MULTY

Size :  
600 X 1200 MM

Finish :  
Glossy Collection





## IMPERIAL STATUARIO

Size :  
600 X 1200 MM

Finish :  
Glossy Collection





## INDIGO STATUARIO

Size :  
600 X 1200 MM

Finish :  
Glossy Collection





## INDUS GRAY

Size :  
600 X 1200 MM

Finish :  
Glossy Collection

Random :  
3






## JUBIN WHITE

Size :  
600 X 1200 MM

Finish :  
Glossy Collection





## JULLY WHITE

Size :  
600 X 1200 MM

Finish :  
Glossy Collection





## LASA NATURAL

Size :  
600 X 1200 MM

Finish :  
Glossy Collection

Random :  
3








## LASA WHITE

Size :  
600 X 1200 MM

Finish :  
Glossy Collection

Random :  
3





## LAVA NATURAL

Size :  
600 X 1200 MM

Finish :  
Glossy Collection

Random :  
5





## MANGUS WHITE

Size :  
600 X 1200 MM

Finish :  
Glossy Collection



# MATRIX SATATURIO

Size :  
600 X 1200 MM

Finish :  
Glossy Collection





## NATURAL SATVARIO

Size :  
600 X 1200 MM

Finish :  
Glossy Collection





## OZON SATVARIO

Size :  
600 X 1200 MM

Finish :  
Glossy Collection





## PEARL STATUARIO

Size :  
600 X 1200 MM

Finish :  
Glossy Collection





## RENATA BLACK

Size :  
600 X 1200 MM

Finish :  
Glossy Collection

Random :  
4







## RENATA BROWN

Size :  
600 X 1200 MM

Finish :  
Glossy Collection

Random :  
4





## RIGATO WHITE

Size :  
600 X 1200 MM

Finish :  
Glossy Collection





## RIO STATUARIO

Size :  
600 X 1200 MM

Finish :  
Glossy Collection





## ROMANCE STATUARIO

Size :  
600 X 1200 MM

Finish :  
Glossy Collection

Random :  
3





## ROYAL SATAVARIO

Size :  
600 X 1200 MM


Finish :  
Glossy Collection



# SAINT AQUA

Size :  
600 X 1200 MM


Finish :  
Glossy Collection



# SATVARIO COLIV

Size :  
600 X 1200 MM

Finish :  
Glossy Collection





## SATVARIO GOLD

Size :  
600 X 1200 MM

Finish :  
Glossy Collection







# SATVARIO PLATINIAM

Size :  
600 X 1200 MM

Finish :  
Glossy Collection






## SEGESTA WHITE

Size :  
600 X 1200 MM

Finish :  
Glossy Collection

Random :  
5





## SENTO WHITE

Size :  
600 X 1200 MM

Finish :  
Glossy Collection



# SHINE STATUARIO

Size :  
600 X 1200 MM

Finish :  
Glossy Collection




# STATUAIRO STAR

Size :  
600 X 1200 MM

Finish :  
Glossy Collection





## TANGO WHITE

Size :  
600 X 1200 MM

Finish :  
Glossy Collection



# TECHNO SATUARIO

Size :  
600 X 1200 MM

Finish :  
Glossy Collection





## TERO WHITE

Size :  
600 X 1200 MM

Finish :  
Glossy Collection







## TORANADO BROWN

Size :  
600 X 1200 MM

Finish :  
Glossy Collection





## TORANADO GREY

Size :  
600 X 1200 MM

Finish :  
Glossy Collection



# TECHNICAL SPECIFICATION

| CHARACTERISTIC | STANDARD AS PER ISO-13006/EN 14411 GROUP BIa | MEAN VALUE OF POLISHED GVT | MEAN VALUE OF RUSTIC GVT | TEST METHOD |
|----------------|--|----------------------------|--------------------------|-------------|
|----------------|--|----------------------------|--------------------------|-------------|

## REGULATORY PROPERTIES

|                             |            |           |           |              |
|-----------------------------|------------|-----------|-----------|--------------|
| Deviation in length & width | ±0.5 %     | ±0.1 %    | ±0.1 %    | ISO-10545-2  |
| Deviation in thickness      | ±5.0 %     | ±4.0 %    | ±4.0 %    | ISO-10545-2  |
| Straightness in side        | ±0.5 %     | ±0.1 %    | ±0.1 %    | ISO-10545-2  |
| Rectangularity              | ±0.5 %     | ±0.1 %    | ±0.1 %    | ISO-10545-2  |
| Surface flatness            | ±0.5 %     | ±0.2 %    | ±0.2 %    | ISO-10545-2  |
| Color difference            | Unaltered  | No change | No change | ISO-10545-16 |
| Glossiness                  | As per mfg | Min 90%   | Min 4%    | GLOSSOMETER  |

## STRUCTURAL PROPERTIES

|                  |            |            |            |             |
|------------------|------------|------------|------------|-------------|
| Water absorption | < 0.50 %   | <0.05%     | <0.05%     | ISO-10545-3 |
| Apparent density | > 2.0 g/cc | >2.10 g/cc | >2.10 g/cc | DIN 51082   |

## MASSIVE MECHANICAL PROPERTIES

|                    |                           |                           |                           |             |
|--------------------|---------------------------|---------------------------|---------------------------|-------------|
| Modulus of rupture | Min. 35 N/mm <sup>2</sup> | Min. 40 N/mm <sup>2</sup> | Min. 40 N/mm <sup>2</sup> | ISO-10545-4 |
| Breaking strength  | Min. 1300 N               | Min. 2000 N               | Min. 2000 N               | ISO-10545-4 |
| Impact resistance  | As per mfg.               | Min. 0.55                 | Min. 0.55                 | ISO-10545-5 |

## SURFACE MECHANICAL PROPERTIES

|                             |             |              |              |             |
|-----------------------------|-------------|--------------|--------------|-------------|
| Surface abrasion resistance | As per mfg. | Min. Class-3 | Min. Class-4 | ISO-10545-7 |
| MOH's hardness              | As per mfg. | Min. 4       | Min. 5       | EN 101      |

## THERMO HYGROMETRIC PROPERTIES

|                          |                             |                           |                             |              |
|--------------------------|-----------------------------|---------------------------|-----------------------------|--------------|
| Frost resistance         | No damage                   | No damage                 | No damage                   | ISO-10545-12 |
| Thermal shock resistance | No damage                   | No damage                 | No damage                   | ISO-10545-9  |
| Moisture expansion       | Nil                         | Nil                       | Nil                         | ISO-10545-10 |
| Thermal expansion (COE)  | Max. 9.0 x 10 <sup>-6</sup> | Max. 6.5x10 <sup>-6</sup> | Max. 6.5 x 10 <sup>-6</sup> | ISO-10545-8  |
| Crazing resistance       | As per mfg.                 | Min. 10 Cycle             | Min. 10 Cycle               | ISO-10545-11 |

## CHEMICAL PROPERTIES

|                     |           |           |           |              |
|---------------------|-----------|-----------|-----------|--------------|
| Chemical resistance | No damage | No damage | No damage | ISO-10545-13 |
| Stain resistance    | Resistant | Resistant | Resistant | ISO-10545-14 |

## SAFETY PROPERTIES

|  |             |                        |                        |              |
|--|-------------|------------------------|------------------------|--------------|
| Slip resistance                          | As per mfg. | >0.40                  | >0.40                  | ISO-10545-17 |
| Fire resistance                          | As per mfg. | Fire proof             | Fire proof             | N. A.        |
| Lead & Cadmium given off by glazed tiles | As per mfg. | Does not yield Pb & Cd | Does not yield Pb & Cd | ISO-10545-15 |

## PACKING DETAILS

| SR. NO | PRODUCT         | NOMINAL SIZE | THICKNESS | TILES PER BOX | COVERAGE AREA |
|--------|-----------------|--------------|-----------|---------------|---------------|
| 1      | VITRIFIED TILES | 600x1200mm   | 8.5 mm    | 2             | 1.44 Sq. Mtr. |

