NIAGARA WORLD BRANCHS



Headquarter



3453 New St., Burlington, ONL 7N1N4 Ontario, Canada +1 647 868 0968 info@niagaracanadian.com



Our Branches



Sharjah - UAE



C Istanbul - Turkey



Brussels - Belgium



Riyadh - Saudi Arabia



Bratislava - Slovakia



Cairo - Egypt








SUSTAINABILITY: THINK GREEN

The 'Think Green' slogan refers to our mission to carry out constant research for greener technology implementation and the use of renewable resources.


We implement strategies to:

- · reduce environmental impact and resource consumption
- reduce energy consumption
- · eliminate toxic substances or pollutants released into the environment

By creating sanitary ware designs that facilitate cleaning, we aim to reduce the use of detergents and excessive amounts of water and this together with improving the water efficiency of WCs, contributes to an overall reduction in water consumption. All round pre-production, production, transportation, use and recycling phases, are continuously monitored and improved.





















SY1003

WALL-HUNG TOILET

Size: 530 X 360 X 370 mm

P-trap: 180 mm roughing-in







SY2028P

PEDESTAL BASIN

Size: 560X 460 X 860 mm





www.**niagaracanadian**.com

(*) Niagara








A2145

WASHDOWN ONE-PIECE TOILET
Size: 650 X 360 X 740 mm

S-trap, 250 mm Roughing-in





SY1312


WALL-HUNG TOILET


Size: 530 X 380 X 360 mm

P-trap: 180 mm roughing-in












H224

WALL-HUNG BASIN
Size: 460 X 560 X 370 mm



















Size: 570 X 390 X 350 mm

P-trap: 180 mm roughing-in





(*) Niagara








A2172

WASHDOWN ONE-PIECE TOILET Size: 720 X 380 X 770 mm





Niagara




SY1004


WALL-HUNG TOILET

Size: 545 X 370 X 320 mm

P-trap: 180 mm roughing-in










H226

WALL-HUNG BASIN
Size: 460 X 460 X 370 mm
















A2317

WASHDOWN ONE-PIECE TOILET

Size: 680 X 380 X 780 mm

S-trap, 250 mm Roughing-in





SY1013

WALL-HUNG TOILET

Size: 490 X 365 X 370 mm

P-trap: 180 mm roughing-in






Miagara

H3328

WALL-HUNG BASIN

Size: 540 X 470 X 440 mm



Niagara



Niagara

www.**niagaracanadian**.com














E5200

WASHDOWN TWO-PIECE TOILET Size: 665 X 345 X 830 mm S-trap: 250 mm Roughing-in P-Trap: 180 mm Roughing-in






SY1002


WALL-HUNG TOILET

Size: 545 X 360 X 360 mm

P-trap: 180 mm roughing-in








H223

WALL-HUNG BASIN
Size: 515 X 450 X 415 mm







(*) Niagara








E5201

WASHDOWN TWO-PIECE TOILET Size: 700 X 365 X 830 mm

S-trap: 250 mm Roughing-in

P-Trap: 180 mm Roughing-in









WALL-HUNG TOILET

Size: 555 X 355 X 340 mm

P-trap: 180 mm roughing-in









H225

WALL-HUNG BASIN Size: 530 X 440 X 360 mm









Niagara










WASHDOWN TWO-PIECE TOILET

Size: 650 X 370 X 795 mm

S-trap, 250 mm Roughing-in





SY1321


WALL-HUNG TOILET


Size: 520 X 350 X 365 mm

P-trap: 180 mm roughing-in










B121

PEDESTAL BASIN Size: 605X 465 X 870 mm





www.**niagaracanadian**.com













- 5 写真 SY1006F - Back to well tollet - Size : 570°280°410em - P-trap: 180em roughings - S-trap: 120°130em rough





- SY1007
- Wall-hung toilat Size : \$25*376*150






- C 114 SY1014 - Well-hard taker - Ser : 490°365°370nes - P-kop! 18kers roughing in - Matt:










と写際 SY1014F * Back to seel tollet • Size | \$55*865*405eee • P trap: 180mm raughts • 5-map: 120*110eee raughts














9 97 SY1001 • Wall-hung toller • Sies | \$55*255*36 • Pricapt Yallmonus





S 150 mg SY1016F





- SY1005F • Back to wall todal • Size : \$65*355*405mm • Proop: 180mm roughing in • Swap: 120/130mm rough


















- F 27, 57 SY8831
- Washdown one-piece toilet
 Sar : 670*370*840mm
 Smap: 250mm roughing in
 Phap: 180mm roughing-in








- F DEC HEE SY8869 · Washdown one-piece tollet · Size | 660*360*805mm





F 88 SY015 - Washdown two-place toilet - Size : 700*370*810mm - P trap: 180mm roughing #












- Siphonic / Washdown one-piece toilet
 Sice : -880*400*790nm;
 Siphonic / Sirapi: 300/400mm rosighing-in
 Washdown / Krapi: 250mm rosighing-in
 Fittap: 180mm rosighing-in







- SY3958
- Washdown one-piece toilet
 Size: 710*380*82denm
 S-trap: 300/400mm mughing-in
 Prtrap: 160mm roughing-er








Siphonic / Washdown one-piece tollet
 Size : 685*355*775mm.
 Sphonic / Stap: 300-900mm roughing in
 Washdown / Stap: 250mm roughing in
 P-Sup: 180mm roughing in






 Washdown two-piece toilet
 Size = 665*400*900mm + F trap; 180mm roughing in







- Washdown two-piece toilet
 Size : 650*380*818mm + P-trap: 180mm roughing in




INSTALLATION STEPS OF **SPLIT TOILET**












Align and push fully assembled Install ceramic disternable to the wait.





position stop tap their connect rear water inlet valve to stop tap.



Connect the pan with foundation bot.

 Fix the pan by screwing the foundation bot to the floor.

